

**SCS Global Services** does hereby certify that an independent assessment has been conducted on behalf of:

# Changzhou Zhonglong Wood Co., Ltd.

Honglian Village, Henglin Town, Wujin, Changzhou, Jiangsu, China

For the following product(s):

## Vinyl Tile:

PVC Flooring, *Maximum thickness: 5.0mm*

Stone Plastic Composite Flooring (SPC), *Maximum thickness: 6.0mm*

Wood Plastic Composite Flooring (WPC), *Maximum thickness: 7.0mm*

*Virgin material only*

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

## FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-04083

Valid from: August 1, 2018 to July 31, 2019

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



ANSI Accredited Program  
Product Certification  
#0821



A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Vice President  
SCS Global Services  
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA